



## Beko CIMY91X 60cm Built-In Single Multi-Function Oven with AeroPerfect™

**Brand :** Beko

**Product code:** CIMY91X

**Product name :** CIMY91X 60cm Built-In Single Multi-Function Oven with AeroPerfect™

- AeroPerfect™
  - RecycledNet®
  - Multi-function Oven
  - Fan Assisted Cooking
  - Catalytic Back Wall
  - SimplySteam™
  - Large 72L Oven Capacity
- CIMY91X 60cm Built-In Single Multi-Function Oven with AeroPerfect™



**Beko CIMY91X 60cm Built-In Single Multi-Function Oven with AeroPerfect™ :**

Featuring our advanced AeroPerfect™ technology, this 60cm Built-In Single Multi-Function Oven uses a constant stream of airflow to minimise temperature fluctuations inside the cavity, guaranteeing fast and even cooking results every time. You'll also benefit from simplified post-cooking cleanup, thanks to our SimplySteam™ technology that softens burnt-on food and grease—saving you both time and effort.

Oven		Design	
Number of ovens *	1	Oven door opening	Drop down opening
Oven size *	Medium	Removable door glass	✓
Oven type *	Electric	Number of glass door panels	2
Oven cooking method	Multitech	Door cooling fan	✗
Total oven(s) interior capacity *	72 L	Carrying handle(s)	✓
Total oven power *	2300 W	Internal coating colour	Black
Oven net capacity *	72 L	Cavity type	Enamel cavity with side racks
Oven power	2300 W	Certification	EN 60335-2-6, CE
Top heating	✓	Ergonomics	
Top heating power	1100 W	Integrated clock	✓
Top heating + Convection (single mode)	✗	Clock type	Electronic
Bottom heating	✓	Timer type	Digital
Bottom heating power	1200 W	Timer modes	Timer
Bottom heating + Convection (single mode)	✗	Wi-Fi controlled *	✗
Top and bottom heating	✓	Food probe	✗
Grill *	✓	Power	
Grill type	Variable rate grill	Energy efficiency class *	A
Grill power	2200 W	Energy efficiency scale	A+++ to D
Full surface grill *	✓	AC input voltage	220-240 V
Fan grill function	✓	Power connection type	Hard-wired
Hot air grilling	✓	Energy consumption (conventional) *	0.88 kWh
3D hot air	✗	Energy consumption (forced convection) *	0.81 kWh
Half grill	✓	Energy efficiency class (old)	A
Convection cooking *	✓	Minimum fuse protection	13 A
Convection power	1800 W	Bread machine	
Microwave cooking *	✗	Bread making capability *	✗
Steam cooking *	✗	Lighting	
Conventional cooking	✓	Interior light	✓
Rotisserie	✗	Lamp type	Halogen
Slow cooking	✗		

Oven		Lighting	
Oven defrost function *	✗	Bulb shape	Circular
Reheat function *	✗	<b>Weight &amp; dimensions</b>	
Keep warm function *	✗	Width	594 mm
ECO mode	✗	Depth	567 mm
Pizza making function *	✗	Height	595 mm
Number of cooking programs	6	Weight	29.7 kg
Catalytic liners on side walls	✗	Interior dimensions (W x D x H)	470 x 430 x 350 mm
Closed door grilling	✓	Installation compartment width *	5.6 cm
Tilting grill	✗	Installation compartment depth *	5.5 cm
Removable catalytic back wall	✓	Installation compartment height *	5.9 cm
Removable catalytic side walls	✗	<b>Packaging data</b>	
Cooling fan	✓	Package tare weight	2.39 kg
Static cooking	✗	Package width	660 mm
Static cooking+ fan (fan assist)	✓	Package depth	660 mm
Bottom + fan cooking (pizza)	✗	Package height	655 mm
Bottom + fan cooking	✓	Package weight	32 kg
Grill pan and internal rack	✓	<b>Packaging content</b>	
Self-cleaning *	✓	Grill grid included	✓
Cleaning type	Steam	Telescopic rail included	✗
Cleaning technology	SteamShine	Grill plate	✓
Oven shelf stoppers	✓	Turnspit included	✗
Number of shelves	2 shelves	Pizza pan included	✗
Number of shelf positions	5	Meat probe included	✗
<b>Oven 2</b>		Lava stone included	✗
Oven 2 bottom heating	✗	Glass tray included	✗
Oven 2 grill	✗	<b>Logistics data</b>	
Oven 2 grill type	Variable rate grill	Expanded Polystyrene (EPS) packaging weight	615.3 g
Oven 2 interior light	✗	Metal packaging weight	12 g
<b>Design</b>		Paper packaging weight	1.06 kg
Appliance placement *	Built-in	Plastic packaging weight	95.44 g
Product colour *	Stainless steel	Wood packaging weight	606 g
Interior material	Enamel	Straphor packaging weight	615.3 g
Control type *	Touch	Total packaging weight	2.39 kg
Retractable knobs	✗	Pallets per intermodal container (40ft, HC)	162 pc(s)
Control panel material	Metal	Maximum stacked pallets per intermodal container (40ft, HC)	4 pc(s)
Handle colour	Black	Harmonized System (HS) code	85166080
Built-in display *	✓	<b>Technical details</b>	
Display type	LED	Dialing control	✓
Door hinge	Down	Compliance certificates	CE
Door material	Glass		



8690842386725

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.