



## iQ700, Induction hob, 90 cm, EX975KXW1E



### Siemens flexInduction cooktop is designed for greater flexibility when cooking

- ✓ flexInduction adapts the cooking zones to different cookware and pots up to 24 cm diameter – for more flexibility.
- ✓ Home Connect: Information about your cooktop, no matter where you are via smartphone or tablet.
- ✓ The fryingSensor plus controls the temperature in the pan
- ✓ powerMove Plus enables intuitive control thanks to three heating zones with different temperatures, just by moving the pan
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost function.
- ✓ Timer with cooking zone shut-off function
- ✓ Innovative induction technology is one of the quickest, safest and most efficient methods of cooking.

### Features

#### Technical Data

Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 5  
 Required niche size for installation (HxWxD) : 51 x 880-880 x 490-500  
 Width of the product (mm) : 912  
 Dimensions of the product (mm) : 51 x 912 x 520  
 Dimensions of the packed product (HxWxD) (mm) : 126 x 1073 x 603  
 Net weight (kg) : 21.365  
 Gross weight (kg) : 23.2  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Color of surface : Black  
 Approval certificates : AENOR, CE  
 Length of electrical supply cord (cm) : 110  
 EAN code : 4242003765685  
 Electrical connection rating (W) : 11100  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60

### Optional accessories

HZ9SE030 : Set of 2 pots and 1 pan , HZ9LP200 : Pot Ø 18 (bottom) / 20 cm (top) , HZ9LP160 : Pot Ø 14 (bottom) / 16 cm (top) , HZ9CF260 : Pan Ø 22 / 26 cm , HZ394301 : Connecting strip , HZ390522 : Griddle Plate , HZ390512 : Teppan Yaki (large) , HZ39050 : Wireless temperature sensor for cooktop , HZ390230 : System pan diameter 21cm , HZ390220 : System pan diameter 19 cm , HZ390210 : System pan diameter 15 cm , HZ390012 : Steaming Rack for Stainless Steel roaste , HZ390011 : Stainless Steel roaster with glas lid



## iQ700, Induction hob, 90 cm, EX975KXW1E

### Features

#### Design

- 912 mm
- Side profiles

#### Control:

- fullTouch TFT Display
- fryingSensor plus with 5 temperature settings
- cookingSensor Plus ready (sensor available as additional purchase)

#### Special features

- 3 x flexInduction zones
- 5 induction cooking zones
- HomeConnect - enables Remote Monitoring and Control through mobile application
- cookConnect - hood control (with Wi-Fi enabled hood)
- flexMotion
- powerMove plus
- reStart function
- cookControl Plus
- Timer for all zones Acoustic signal Count up timer
- Keep warm function
- 17 power levels
- Power boost setting
- panBoost
- Energy Consumption Display

#### Safety Features

- Automatic pan recognition Automatic safety switch off Control panel lock Control panel pause
- 2 stage residual heat indicators
- Main on/off switch

#### Power and size:

- Connected load: 11.1 KW
- Cooking zones: 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 240 mm, 2.2 KW (max. Powerlevels 3.7 KW) Induction; 1 x Ø 300 mmx240 mm, 2.6 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 400 mmx240 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 240 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

#### Technical information

- Min. worktop thickness: 16 mm
- Measurement: (H/B/T) 51 x 912 x 520 mm
- Installation dimensions: (ID/W/D) 51 mm x 880 mm x 490 mm
- Connection cable 110 cm
- Cable included in packaging

## iQ700, Induction hob, 90 cm, EX975KXW1E

### Dimensioned drawings

