

Type

Ovens

General Information

Stato

Product family

Brand

Make or Buy Flag

Type of installation

Technical code

Commercial description

Short Description IT

Short Description EN

EAN Required

Commercial code

Market

Years of warranty

Approval code

Notes

Energy Label

Energy Label required

Energy class OD

Natural convection energy consumption (kWh)

Main oven net capacity l

Required cooking time for normal load (min)

Secondary oven energy class OD

Natural convection energy consumption secondary oven(kWh)

Secondary oven net capacity l

Required cooking time for normal load secondary oven(min)

Heat Source

Energy consumption in conventional mode (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode(gas final energy) [MJ/Cycle]

Energy consumption in conventional mode (gas final energy)[KWh/Cycle]

Heat source secondary oven

Energy consumption in conventional mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[KWh/Cycle]

Convention oven consumption

Convention secondary oven consumption

Main oven grilling tray surface

Energy Label Country

Technical Data

Supply voltage [V]/Supply frequency [Hz]

(Alternative) Supply voltage [V]/Supply frequency [Hz]

Absorbed current [A]

Electrical supply

Minimum Cable length (m)

Output power (W)
Ventilated oven power (W)
Gas type
Gas connectors
Main oven max power (W)
Main grill max power (W)
Temperature range
Bake - output power (calculate for 120/240 V)

Dimensions & Weights

Height PF (mm)
Width PF (mm)
Depth PF (mm)
Depth with handle (mm)
Depth with open door (mm)
Built-in hole height (mm)
Built-in hole width (mm)
Built-in hole depth (mm)
Package type
Package height (mm)
Package width (mm)
Package depth (mm)
Net weight (Kg)
Gross weight (Kg)

Coordinated Items

Aesthetics

Location of fascia
Oven door glass colour
Hinge
Handle type

User Interface

Type of regulation
Function indicator
Grill power levels / No. Power levels

Main Oven

Main oven type /Main grill

Cooking modes 1
Cleaning
Turntable
Main cavity material
Gross volume oven
Net oven volume
Oven grids
Main oven accessories
Oven gasket
Water tank (L)

Secondary Oven

Secondary oven type/Secondary grill

Cooking modes 2

Secondary oven cleaning

Secondary oven light turning on

Type of secondary oven guides

Gross volume secondary oven

Net volume secondary oven

Oven grids 2

Main oven accessories 2

Oven gasket 2

Safety Devices

Ignition

Locked controls

Knob deflector

Documentation

Booklet languages

Technical Code

J6..6WP1XE.00

Released

OVENS 60X60 CM

BERTAZZONI

Make

BUILT IN

J6..6WP1XE.00

60x60 CM FORNO ELETTRICO VENTILATO MULTI9/MULTI11

Forno da incasso 60cm elettrico 9 funzioni, display LED

60cm Electric Built-in oven LED display

YES

F609PROESX

AUSTRALIA;EUROPE

2

SAA-231372-EA

Legacy Information

YES

A

0.86

76

ELECTRIC

0.86

0.0

0.0

0.0

0.0

0.0

FES.PCX

1482

UE + UK

220-240 V , 50/60 HZ

Mono 230 V - 12 A

2

2700

22

ELECTRIC PRODUCT

NO

2700

2400

0

597

595

24

85

484

585

560 - 590

560

STANDARD PACKING

700

660

680

33.5

37.0

FRONT

EMBOSSED O SHAPE

SOFT MOTION

PROFESSIONAL STAINLESS STEEL 2020

KNOBS

CONTROL PANEL/WORKTOP

CONVECTION ELECTRIC OVEN MULTI 9/MULTI11

BAKE;BOTTOM BAKE;CONVECTION (ELECTRIC OVENS);CONVECTION BAKE;DEFROSTING;FAST PREHEATING;GR
NO

GREY FACADE GREY ENAMEL

80

73

1 HEAVY DUTY FLAT

NO

4 SIDES - SILICONE

NO

NO

NO

NO

NO

NO

NO



NO

NO

NO



DANISH;DUTCH;ENGLISH;FINNISH;FRENCH;GREEK;ITALIAN;NORWEGIAN;SPANISH;SWEDISH

Commercial Code

F609PROESX

Life Cycle

Aesthetical line

Private Label

Type of production

Factory

Technical code of derivation

Short Description FR

Short Description US

Ean code

Second commercial code

Customer

Approvals

Changes notes

Number of cavities

Oven program used to determine energy class

Forced convection energy consumption (kWh)

Oven typology energy label

Oven program used to determine energy class of secondary oven

Forced convection energy consumption secondary oven(kWh)

Oven typology energy label secondary oven

EEI [%]Energy efficiency index

Energy consumption in fan forced mode(electric final energy) [KWh/Cycle]

Energy consumption in fan forced mode(gas final energy) [MJ/Cycle]

Energy consumption in fan forced mode (gas final energy)[KWh/Cycle]

EEI [%]Energy efficiency index secondary oven

Energy consumption in fan forced mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in Fan Forced mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in fan forced mode secondary oven (gas final energy)[KWh/Cycle]

Fan-assisted oven consumption

Fan-assisted secondary oven consumption

Secondary oven grilling tray surface

Absorbed power [W]

(Alternative) Absorbed power [W]

Gas power (kW)

Plug type

Minimum Cable length (in)

Magnetron microwave power (W)

Alternative gas

Secondary oven max power (W)

Secondary grill max power (W)

Convection fan - output power

Height PF (in)

Width PF (in)

Depth PF (in)

Depth with handle (in)

Depth with open door (in)

Built-in hole height (in)

Built-in hole width (in)

Built-in hole depth (in)

Package height (in)

Package width (in)

Package depth (in)

Net weight (Lb)

Gross weight (Lb)

Fascia type

Inner door

Knob type

Cooking programming

Cooking control functions

Microwave power Levels / No. Power levels

Cleaning functions 1

Turnspit/Fans

Light turning on

Type of main oven guides

Gross volume oven [cu.ft]

Net volume oven [cu.ft]

Oven grill tray

Levels of cooking oven

Water tank (L)

Cleaning functions 2

Secondary oven turnspit /Fans

Secondary cavity material

Gross volume secondary oven [cu.ft]

Net volume secondary oven [cu.ft]

Oven grill tray 2

Levels of cooking secondary oven



Flame failure device

Cooling fan



Warranty certificate

Code

F002599

Y2 - On Management

PROFESSIONAL

BERTAZZONI

CBU

Guastalla

60x60 CM FOUR ÉLECTRIQUE ASSISTÉ PAR VENTILATEUR MULTI9 / MULTI11

60x60 CM MULTI9 / MULTI11 FAN ASSISTED ELECTRIC OVEN

8054309281358

MAGAZZINO

CE;SAA;UKCA

1

FEV.PCX

0.83

95.5

0.83

0.0

0.0

0.0

0.0

0.0

0.0

FEV.PCX

2700 W

NO

79"

NO

N.A.

N.A.

0



0

0

0

77

83.0



PROFESSIONAL

MODULAR 2 GLASSES

PROFESSIONAL METAL 2020



LED (WHITE) DIGITAL PROGRAMMER TOUCH



1 FAN

1

LATERALS GRIDS

1 ENAMELLED TRAY



NO
NO

NO



NO
YES



YES



Colour leading code STAINLESS STEEL

Predecessor Code



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]