

## Blomberg S2 LWA18461W Freestanding 8kg 1400rpm Washing Machine with SpinSave



**Brand :** Blomberg

**Product family:** S2

**Product code:** LWA18461W

**Product name :** LWA18461W  
Freestanding 8kg 1400rpm  
Washing Machine with SpinSave

- SpinSave
- Fast Full Load Programme
- RecycledTub
- CreaseEase
- Machine Care Programme
- A-Rated

LWA18461W Freestanding 8kg 1400rpm Washing Machine with SpinSave

### Blomberg S2 LWA18461W Freestanding 8kg 1400rpm Washing Machine with SpinSave:

Enjoy enhanced energy efficiency with this washing machine, thanks to Blomberg's SpinSave technology. Using advanced drum movements, this model dissolves detergent more quickly and with less heat, reducing energy consumption by up to 35% during everyday wash cycles. Additional features include a Fast Full Load programme that cleans a full load in under 30 minutes, and CreaseEase technology, which minimises creases by optimising water levels, temperature, spin cycles, and steam. Blomberg S2 LWA18461W Freestanding 8kg 1400rpm Washing Machine with SpinSave. Loading type: Front-load. Rated capacity: 8 kg, Spin-drying class: B, Noise level (spin): 76 dB. Washing class: A. Maximum spin speed: 1400 RPM. Product colour: White. Width: 600 mm, Depth: 546 mm, Height: 845 mm. Energy efficiency class: A

Design		Ergonomics	
Appliance placement *	Freestanding	Number of adjustable feet	4
Loading type *	Front-load	Power	
Product colour *	White	Energy efficiency scale	A to G
Custom panel-ready	✗	Energy efficiency class *	A
Inverter technology	✓	Energy consumption per 100 cycles *	47 kWh
Built-in display *	✓	Energy consumption washing per cycle	0.468 kWh
Display type	LED	Water consumption per cycle *	47 L
Control type *	Rotary	Connected load	2200 W
Door hinge *	Left	AC input voltage	230 V
Door opening	Side opening	AC input frequency	50 Hz
Door opening angle	170°	Current	10 A
Door colour	Black, Grey	Power plug type	Type G
Drum material	Stainless steel	Power plug current	13 A
Outlet hose length	1.3 m	Energy efficiency index (EEI)	1.035
Water fill	Cold	Weight & dimensions	
Motor type	Brushless	Width	600 mm
Viewing window	✓	Depth	546 mm
Performance		Height	845 mm
Rated capacity *	8 kg	Weight	68 kg
Maximum spin speed *	1400 RPM	Installation compartment width	60 cm
Spin-drying class *	B	Installation compartment depth	54.6 cm
Number of washing programs *	15	Installation compartment height	84.5 cm
Noise emission class *	B	Packaging data	
Noise level (spin) *	76 dB	Packaging content	Energy label, hoses
Delayed start timer *	✓	Manual	✓
Delay start (max)	24 h	Package width	650 mm
Cycle time (max)	218 min		

Performance		Packaging data	
Cycle time (quick washing program, small load)	14 min	Package depth	565 mm
Cycle time (quick washing program)	28 min	Package height	885 mm
Washing programs *	20°C, Auto, Blouse/shirt, Cold, Cotton, Delicate/silk, Hand/wool, Eco 40-60°C, Hygiene+, Intensive/outdoor, Mix, Pre-wash, Quick 14min, Rinse, Spin/drain, Stain care, Steam, Synthetics	Package weight	69 kg
Half-load	✓	Other features	
Rinse hold	✓	Washing class	A
Rinse Plus function	✓	Number of programs	15
Adjustable spin speed	✓	Hose diameter	2 cm
Load balancing system *	✓	Professional installation required	✓
Residual moisture	53%	Required tools	Standard tool box
Adjustable temperature	✓	Spare part retention	7 year(s)
Add garment (pause) function	✓	Hose extender compatible	✓
Built-in spirit level	✗	Installation notes	Remove Polly block, Remove Transit Bolts
Minimum water flow pressure	100 kPa	Sustainability	
Maximum water flow pressure	1000 kPa	European Product Registry for Energy Labelling (EPREL) code	1824395
No spin	✓	Logistics data	
Ergonomics		Expanded Polystyrene (EPS) packaging weight	735 g
Child lock *	✓	Paper packaging weight	10 g
Sensor program selection	✓	Plastic packaging weight	175 g
Automatic dosing system	✗	Harmonized System (HS) code	84501190
Drum Clean	✓	Commodity Classification Automated Tracking System (CCATS)	84501190
Remaining time indication *	✓		
LED program stage indicator	✓		
Feet adjustment type	Front & Rear		
Stackable	✗		
Adjustable feet	✓		
Feet adjustment	1.5 cm		
Feet extension (min)	0 mm		



8690842643514

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.