

Type

Hobs

General Information

Stato

Product family

Brand

Make or Buy Flag

Type of installation

Technical code

Commercial description

Short Description IT

Short Description EN

EAN Required

Commercial code

Market

Years of warranty

Approval code

Notes

Energy Label

Annual energy consumption - AEC_{hood} (kWh/annum)

Fluid dynamic efficiency - FDE_{hood} (%)

Fluid dynamic efficiency class

Measured air flow rate at best efficiency point - Q_{bep} (m³/h)

Air flow at intensive/Boost setting - (m³/h)

Maximum air flow in normal use (Intensive / Boost excluded) (m³/h)

Max air flow (m³/h)

Nominal power consumption of the lighting system - W_I (W)

Light efficiency - LE_{hood} (Lux/Watt)

Power consumption in standby mode - P_s (W)

Grease filtering efficiency - GFE_{hood} (%)

Sound power level at minimum speed available in normal use (dB(A) re 1Pw)

Sound power level at Intensive/Boost Setting - (dB(A) re 1Pw)

Technical Data

Supply voltage [V]/Supply frequency [Hz]

(Alternative) Supply voltage [V]/Supply frequency [Hz]

Absorbed current [A]

Electrical supply

Minimum Cable length (m)

Gas type

Alternative gas

Fan power [W]

Output air extraction (m³/h)

Sound level maximum speed (dbA)

Dimensions & Weights

Height PF (mm)

Width PF (mm)

Depth PF (mm)

Built-in hole height (mm)
Built-in hole width (mm)
Built-in hole depth (mm)
Package type
Package height (mm)
Package width (mm)
Package depth (mm)
Net weight (Kg)
Gross weight (Kg)

Coordinated Items

Aesthetics

Location of fascia
Knob type

User Interface

Type of regulation
Function indicator

General characteristics

Type of Hob
Information of worktop
Special hob features
Burner and burner cap
Hob accessories
Speed

Hob layout

No. of total cooking areas
No. electric plates
No. induction areas
Electric griddle (W)
No of Power burners
No of Rapid burners
No of Medium burners
No of Simmer burners
No. of bridge induction areas

Rear Side

Left&Centre&Right

Circular cooking zone or area-diameter surface [mm] zone left-behind
Circular cooking zone or area-diameter surface [in] zone left-behind
Non-circular cooking zone or area-length [mm] zone left-behind
Non-circular cooking zone or area-length [in] zone left-behind
Non-circular cooking zone or area-width [mm] zone left-behind
Non-circular cooking zone or area-width [in] zone left-behind
Rear left area - type
Left rear area - dimensions
Rear left area - power (W)
Energy consumption [Wh/Kg] zone left-behind
Energy efficiency per gas burners [%] zone left-behind
Rear left area - power booster [W]
Rear left area - double power booster [W]

Middle Side

Left\$Centre\$Right

Front Side

Left\$Centre\$Right

Circular cooking zone or area-diameter surface [mm] zone left-ahead

Circular cooking zone or area-diameter surface [in] zone left-ahead

Non-circular cooking zone or area-length [mm] zone left-ahead

Non-circular cooking zone or area-length [in] zone left-ahead

Non-circular cooking zone or area-width [mm] zone left-ahead

Non-circular cooking zone or area-width [in] zone left-ahead

Left front area - type

Left front area - dimensions

Front left area - power (W)

Energy consumption [Wh/Kg] zone left-ahead

Energy efficiency per gas burners [%] zone left-ahead

Front left area - power booster [W]

Front left area - double power booster [W]

Safety devices

Hob ignition

Locked controls

Overflow security

Documentation

Booklet languages

Miscellaneous

Special features hoods

Hob with hood

Max extraction power (CFM)

Sound level maximum speed/Boost (dbA)

Sound level maximum speed (Sones)

Technical Code

P710..PAX4D00

Released

COOKTOPS 75 CM GAS

BERTAZZONI

Make

BUILT IN

P710..PAX4D00

75 CM PIANO GAS 5-BRUCIATORI

75 cm piano gas con wok

75 cm Gas hob with wok

YES

P755CPROX

ITALY

2

51CT4916

Legacy Information

230 V , 50 HZ

1

Mono 230 V - 6 A

2

G20/20MBAR - NATURAL GAS

G30/28-30MBAR O G31/28 - 30MBAR O G31/37MBAR - GPL

N.A.

6.5

752

522

85

560

480

STANDARD PACKING

190

850

665

16.0

19.5



FRONT

PROFESSIONAL METAL 2020



KNOBS

CONTROL PANEL/WORKTOP



70 GAS PRESSED WORKTOP

PRESSED 5 GAS BURNERS WITH CENTRAL TRIPLE RING

NO

BRASS + MATT BURNER CAP + BERTAZZONI BURNER CAP

NO

NO



5

0

0



70

N.A.

0.0

0.0

GAS

70

1750

N.A.

58

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

70

N.A.

0.0

0.0

GAS

70

1750

N.A.

58

[REDACTED]

WORKTOP ONE HAND

NO

NO

[REDACTED]

ENGLISH;FRENCH;GREEK;ITALIAN;SPANISH

[REDACTED]

NO

[REDACTED]

Commercial Code

P755CPROX

Life Cycle

Aesthetical line

Private Label

Type of production

Factory

Predecessor Code

Short Description FR

Short Description US

Ean code

Second commercial code

Customer

Approvals

Changes notes

Increase factor

Energy efficiency index - EEIhood (%)

Energy efficiency class

Measured electric power input at best efficiency point - W_{bep} (W)Minimum air flow in normal use (m^3/h)Measured air pressure at best efficiency point - P_{bep} (Pa)Average illumination of the lighting system on the cooking surface - E_{middle} (Lux)

Lighting efficiency class

Power consumption off mode - P_o (W)

Grease filtering efficiency class

Sound power level at maximum speed available in normal use - (dB(A) re 1Pw)

Odor reduction Factor of (%)

Absorbed power [W]

(Alternative) Absorbed power [W]

Gas power [kW]

Plug type

Minimum Cable length (in)

Gas connectors

Alternative gas

IEC extraction (m^3/h)

Height PF (in)

Width PF (in)

Depth PF (in)

Built-in hole height (in)
Built-in hole width (in)
Built-in hole depth (in)

Package height (in)
Package width (in)
Package depth (in)
Net weight (Lb)
Gross weight (Lb)

Type of lid

Cooking programming

Power limitation
Cooking Zone
Pan support type
Continuous gratings
Type of hood
Filter type

No. gas burners
No. of radiant areas
No. dishwarmer areas

Power burner - minimum BTU
Rapid burner - minimum BTU
Medium burner - minimum BTU
Simmer burner - minimum BTU
Bridge left area - power (W)

Circular cooking zone or area-diameter surface [mm] zone center-behind
Circular cooking zone or area-diameter surface [in] zone center-behind
Non-circular cooking zone or area-length [mm] zone center-behind
Non-circular cooking zone or area-length [in] zone center-behind
Non-circular cooking zone or area-width [mm] zone center-behind
Non-circular cooking zone or area-width [in] zone center-behind
Rear middle area - type
Middle rear area - dimensions
Rear middle area - power (W)
Energy consumption [Wh/Kg] zone center-behind
Energy efficiency per gas burners [%] zone center-behind
Rear middle area - power booster [W]
Rear middle area - double power booster [W]

[REDACTED]

Circular cooking zone or area-diameter surface [mm] zone center-ahead

Circular cooking zone or area-diameter surface [in] zone center-ahead

Non-circular cooking zone or area-length [mm] zone center-ahead

Non-circular cooking zone or area-length [in] zone center-ahead

Non-circular cooking zone or area-width [mm] zone center-ahead

Non-circular cooking zone or area-width [in] zone center-ahead

Middle front area - type

Middle front area - dimensions

Middle front area - power (W)

Energy consumption [Wh/Kg] zone center-ahead

Energy efficiency per gas burners [%] zone center-ahead

Front middle area - power booster [W]

Front middle area - double power booster [W]

[REDACTED]

Hob flame failure device

Residual heat indicators

[REDACTED]

Warranty certificate

[REDACTED]

Suction type

Sound level minimum speed (dbA)

Sound level maximum speed/Booster (Sones)

Code

F002730

Y2 - On Management

PROFESSIONAL

BERTAZZONI

CBU

Guastalla

75 CM TABLE DE CUISSON 5-BRÂLEURS

75 CM 5 BURNERS GAS HOB

8054309281013

MAGAZZINO

CE;UKCA

1

11,5

NO

79"

CONICAL CONNECTOR;ELBOW CONNECTOR

NO

3 3/8
22 1/16
18 15/16

8 1/16
32 5/16
22 5/8

0.0



NO



NO



N.A.

GAS

CAST IRON PRO GOM

NO

NO

NO



5

0

0



N.A.

N.A.

0.0

0.0

N.A.

N.A.

N.A.

N.A.

N.A.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

130

N.A.

0.0

0.0

GAS

130

4000

N.A.

53

[REDACTED]

WORKTOP

NO

[REDACTED]

YES

[REDACTED]

[REDACTED]



Colour leading code

STAINLESS STEEL

Technical code of derivation



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

No. of total electric cooking areas	0
No. halogen areas	0
No. Wok burners	

Power burner - maximum BTU

Rapid burner - maximum BTU

Medium burner - maximum BTU

Simmer burner - maximum BTU

Bridge right area - power (W)

[REDACTED]

[REDACTED]

Circular cooking zone or area-diameter surface [mm] zone right-behind	95
Circular cooking zone or area-diameter surface [in] zone right-behind	N.A.
Non-circular cooking zone or area-length [mm] zone right-behind	0.0
Non-circular cooking zone or area-length [in] zone right-behind	
Non-circular cooking zone or area-width [mm] zone right-behind	0.0
Non-circular cooking zone or area-width [in] zone right-behind	
Rear right area - type	GAS
Right rear area - dimensions	95
Right rear area - power (W)	3000
Energy consumption [Wh/Kg] zone right-behind	N.A.
Energy efficiency per gas burners [%] zone right-behind	58
Rear right area - power booster [W]	
Rear right area - double power booster [W]	

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]