

<b>Type</b>
Hob:
<b>General information</b>
Class
Product family
Brand
Make or Buy Flag
Type of installation
Technical code
Commercial description
Short Description IT
Short Description EN
EAN Required
Commercial code
Market
Years of warranty
Approval code
Notes
<b>Energy Label</b>
Annual energy consumption - ACHood (kWh/annum)
Fluid dynamic efficiency - FDEhood (%)
Fluid dynamic efficiency class
Measured air flow rate at best efficiency point - Qbest (m³/h)
Air flow at intensive/Boost setting - (m³/h)
Maximum air flow in normal use - Intensive / Boost excluded (m³/h)
Max air flow (m³/h)
Nominal power consumption of the lighting system - Wl (W)
Light efficiency - LCHood (lm/Watt)
Power consumption in standby mode - P1 (W)
Grease filtering efficiency - GFEhood (%)
Sound power level at minimum speed available in normal use (dB(A) re 1pW)
Sound power level at Intensive/Boost Setting - (dB(A) re 1pW)
<b>Electrical Data</b>
Supply voltage [V]/Supply frequency [Hz]
(Alternative) Supply voltage [V]/Supply frequency [Hz]
Absorbed current [A]
Electrical supply
Minimum Cable length (m)
Gas type
Alternative gas
Fan power [W]
Output air extraction (m³/h)
Sound level maximum speed (dB(A))
<b>Dimensions &amp; Weights</b>
Height PF (mm)
Width PF (mm)
Depth PF (mm)
Built in hole height (mm)
Built in hole width (mm)
Built in hole depth (mm)
Package type
Package height (mm)
Package width (mm)
Package depth (mm)
Net weight (kg)
Gross weight (kg)
<b>Powerful Burner</b>
<b>Accessories</b>
Location of faucet
Knob type
<b>Installation</b>
Type of regulation
Function indicator
<b>General Performance</b>
Type of Hob
Information of workshop
Special hob features
Burner and burner cap
Hob accessories
<b>Speed</b>
<b>Hob Control</b>
No. of total cooking areas
No. electric plates
No. induction areas
Electric griddle (W)
No of Power burners
No of Rapid burners
No of Medium burners
No of Simmer burners
No. of bridge induction areas
<b>Rear Side</b>
<b>Left/Center/Right</b>
Circular cooking zone or area-diameter surface [mm] zone left-behind
Circular cooking zone or area-diameter surface [in] zone left-behind
Non-circular cooking zone or area-length [mm] zone left-behind
Non-circular cooking zone or area-length [in] zone left-behind
Non-circular cooking zone or area-width [mm] zone left-behind
Non-circular cooking zone or area-width [in] zone left-behind
Rear left area - type
Left rear area - dimensions
Rear left area - power (W)
Energy consumption [Wh/kg] zone left-behind
Energy efficiency per gas burners [%] zone left-behind
Rear left area - power booster (W)
Rear left area - double power booster (W)
<b>Width Side</b>
<b>Left/Center/Right</b>
<b>Front Side</b>
<b>Information/Note</b>
Circular cooking zone or area-diameter surface (mm) zone left-ahead
Circular cooking zone or area-diameter surface [in] zone left-ahead
Non-circular cooking zone or area-length [mm] zone left-ahead
Non-circular cooking zone or area-length [in] zone left-ahead
Non-circular cooking zone or area-width [mm] zone left-ahead
Non-circular cooking zone or area-width [in] zone left-ahead
Left front area - type
Left front area - dimensions
Front left area - power (W)
Energy consumption [Wh/kg] zone left-ahead
Energy efficiency per gas burners [%] zone left-ahead
Front left area - power booster (W)
Front left area - double power booster (W)
<b>Lighting</b>
Hob luminous
Locked controls
Overflow security
<b>Documentation</b>
Booklet languages
<b>Miscellaneous</b>
Special features Hob
Hob with hood
Max extraction power (CFM)
Sound level maximum speed/boost (dB(A))
Sound level maximum speed (Sones)

Technical Code	Commercial Code	Code		
FF0R-DTNE-S0	P78DM3BZNE	F004134		
Under Review	Life Cycle	Y2 - On Management		
COOKTOPS 80 CM ELECTRIC	Aesthetical line	NEUTRAL	Colour leading code	BLACK GLASS
BERTAZZONI	Private Label	BERTAZZONI		
Bought	Type of production	CRU		
BUILT IN	Factory	Guastalla		
FF0R-DTNE-S0	Predecessor Code		Technical code of derivation	
78 cm induction hob - 6 Zone	Short Description FR	Table de cuisson à induction 78 cm - 6 zones		
78 cm piano induction, 3 multizone	Short Description US	78 cm induction hob - 6 Zone		
78 cm induction hob, 3 multizone	Ean code	805430921419		
YES	Second commercial code	GENERICO		
P78DM3BZNE	Customer			
EUROPE	Approvals	CE		
2	Changes notes			
	Isotane factor			
	Energy efficiency index - EERhood (%)			
	Energy efficiency class			
	Measured electric power input at best efficiency point - Wbep (W)			
	Minimum air flow in normal use (m³/h)			
	Measured air pressure at best efficiency point - Pbaep (Pa)			
	Average illumination of the lighting system on the cooking surface - Emiddle (Lux)			
	Lighting efficiency class			
	Power consumption off mode - Po (W)			
	Grease filtering efficiency class			
	Sound power level at maximum speed available in normal use - (SPLA) (re 1Pa)			
	Odor reduction Factor of (%)			
230 V, 50 Hz / 50 Hz	Absorbed power (W)	11100		
	(Alternative) Absorbed power (W)			
40	Gas power (kW)	N.A.		
Mono 230 V - 40 A	Plug type	NO		
NO	Minimum cable length (m)	NO		
ELECTRIC PRODUCT	Gas connectors	NO		
NO	Alternative eas	NO		
N.A.	IEC extraction (m³/h)			
	Height PF (in)			
780	Width PF (in)			
500	Depth PF (in)			
N.A.	Built-in hole height (in)			
750	Built-in hole width (in)			
490	Built-in hole depth (in)			
STANDARD PACKING				
95	Package height (in)			
840	Package width (in)			
660	Package depth (in)			
15.7	Net weight (lb)			
17.2	Gross weight (lb)	0.0		
FRONT	Type of lid	NO		
NO				
TOUCH	Cooking programming	END OF COOKING		
CONTROL PANEL/WORKTOP				
70 ELECTRIC GLASS WORKTOP	Power limitation	N.A.		
GLASS 9 INDUCTION ZONES 65	Cooking Zone	ELECTRIC		
AUTO TEMPERATURE SETTINGS, BOOSTER, BRIDGE, CHEF, CHILD LOCK, CLEAN, DOUBLE BOOSTER, EGG TIMER, KEEP WARM (D07), PAUSE/RECALL, RECALL TIMER	Fan support type	NO		
NO	Continuous grating	NO		
NO	Type of hood	NO		
NO	Filter type	NO		
6	No. gas burners		No. of total electric cooking areas	6
	No. of radiant areas	0	No. halogen areas	0
6	No. Sit warmer areas	0	No. Wok burners	
	Power burner - minimum BTU		Power burner - maximum BTU	
	Rapid burner - minimum BTU		Rapid burner - maximum BTU	
	Medium burner - minimum BTU		Medium burner - maximum BTU	
	Simmer burner - minimum BTU		Simmer burner - maximum BTU	
	Bridge left area - power (W)		Bridge right area - power (W)	
N.A.	Circular cooking zone or area-diameter surface (mm) zone center-behind	N.A.	Circular cooking zone or area-diameter surface (mm) zone right-behind	N.A.
N.A.	Circular cooking zone or area-diameter surface (in) zone center-behind	N.A.	Circular cooking zone or area-diameter surface (in) zone right-behind	N.A.
210.0	Non-circular cooking zone or area-length (mm) zone center-behind	210.0	Non-circular cooking zone or area-length (mm) zone right-behind	210.0
	Non-circular cooking zone or area-length (in) zone center-behind		Non-circular cooking zone or area-length (in) zone right-behind	
200.0	Non-circular cooking zone or area-width (mm) zone center-behind	200.0	Non-circular cooking zone or area-width (mm) zone right-behind	200.0
	Non-circular cooking zone or area-width (in) zone center-behind		Non-circular cooking zone or area-width (in) zone right-behind	
INDUCTION	Rear middle area - type	INDUCTION	Rear right area - type	INDUCTION
210x200	Middle rear area - dimensions	210x200	Right rear area - dimensions	210x200
2100	Rear middle area - power (W)	2100	Right rear area - power (W)	2100
181.9 Wh/Hz	Energy consumption (Wh/Kg) zone center-behind	177.6 Wh/Hz	Energy consumption (Wh/Kg) zone right-behind	181.9 Wh/Hz
N.A.	Energy efficiency per gas burners (%) zone center-behind	N.A.	Energy efficiency per gas burners (%) zone right-behind	N.A.
2500	Rear middle area - power booster (W)	2500	Rear right area - power booster (W)	2500
3000	Rear middle area - double power booster (W)	3000	Rear right area - double power booster (W)	3000
N.A.	Circular cooking zone or area-diameter surface (mm) zone center-ahead	N.A.	Circular cooking zone or area-diameter surface (mm) zone right-ahead	N.A.
N.A.	Circular cooking zone or area-diameter surface (in) zone center-ahead	N.A.	Circular cooking zone or area-diameter surface (in) zone right-ahead	N.A.
210.0	Non-circular cooking zone or area-length (mm) zone center-ahead	210.0	Non-circular cooking zone or area-length (mm) zone right-ahead	210.0
	Non-circular cooking zone or area-length (in) zone center-ahead		Non-circular cooking zone or area-length (in) zone right-ahead	
200.0	Non-circular cooking zone or area-width (mm) zone center-ahead	200.0	Non-circular cooking zone or area-width (mm) zone right-ahead	200.0
	Non-circular cooking zone or area-width (in) zone center-ahead		Non-circular cooking zone or area-width (in) zone right-ahead	
INDUCTION	Middle front area - type	INDUCTION	Front right area - type	INDUCTION
210x200	Middle front area - dimensions	210x200	Right front area - dimensions	210x200
1600	Middle front area - power (W)	1600	Front right area - power (W)	1600
181.9 Wh/Hz	Energy consumption (Wh/Kg) zone center-ahead	181.9 Wh/Hz	Energy consumption (Wh/Kg) zone right-ahead	181.9 Wh/Hz
N.A.	Energy efficiency per gas burners (%) zone center-ahead	N.A.	Energy efficiency per gas burners (%) zone right-ahead	N.A.
1850	Front middle area - power booster (W)	1850	Front right area - power booster (W)	1850
	Front middle area - double power booster (W)		Front right area - double power booster (W)	
TOUCH CONTROL	Hob flame failure device	NO		
YES	Residual heat indicators	YES		
ENGLISH/FRENCH/ITALIAN/SPANISH	Warranty certificate	NO		
NO				
	Suction type			
	Sound level minimum speed (dbA)		Sound level minimum speed (Sones)	
	Sound level maximum speed/Booster (Sones)			

—

—

—

—

—  
—  
—  
—

—

—  
—

—  
—  
—  
—

—  
—  
—  
—