

## Type

Hobs

## General Information

Stato

Product family

Brand

Make or Buy Flag

Type of installation

Technical code

Commercial description

Short Description IT

Short Description EN

EAN Required

Commercial code

Market

Years of warranty

Approval code

Notes

## Energy Label

Annual energy consumption - AEC<sub>hood</sub> (kWh/annum)

Fluid dynamic efficiency - FDE<sub>hood</sub> (%)

Fluid dynamic efficiency class

Measured air flow rate at best efficiency point - Q<sub>bep</sub> (m<sup>3</sup>/h)

Air flow at intensive/Boost setting - (m<sup>3</sup>/h)

Maximum air flow in normal use (Intensive / Boost excluded) (m<sup>3</sup>/h)

Max air flow (m<sup>3</sup>/h)

Nominal power consumption of the lighting system - W<sub>I</sub> (W)

Light efficiency - LE<sub>hood</sub> (Lux/Watt)

Power consumption in standby mode - P<sub>s</sub> (W)

Grease filtering efficiency - GFE<sub>hood</sub> (%)

Sound power level at minimum speed available in normal use (dB(A) re 1Pw)

Sound power level at Intensive/Boost Setting - (dB(A) re 1Pw)

## Technical Data

Supply voltage [V]/Supply frequency [Hz]

(Alternative) Supply voltage [V]/Supply frequency [Hz]

Absorbed current [A]

Electrical supply

Minimum Cable length (m)

Gas type

Alternative gas

Fan power [W]

Output air extraction (m<sup>3</sup>/h)

Sound level maximum speed (dbA)

## Dimensions & Weights

Height PF (mm)

Width PF (mm)

Depth PF (mm)

Built-in hole height (mm)  
Built-in hole width (mm)  
Built-in hole depth (mm)  
Package type  
Package height (mm)  
Package width (mm)  
Package depth (mm)  
Net weight (Kg)  
Gross weight (Kg)

#### Coordinated Items

#### Aesthetics

Location of fascia  
Knob type

#### User Interface

Type of regulation  
Function indicator

#### General characteristics

Type of Hob  
Information of worktop  
Special hob features  
Burner and burner cap  
Hob accessories  
Speed

#### Hob layout

No. of total cooking areas  
No. electric plates  
No. induction areas  
Electric griddle (W)  
No of Power burners  
No of Rapid burners  
No of Medium burners  
No of Simmer burners  
No. of bridge induction areas

#### Rear Side

#### Left&Centre&Right

Circular cooking zone or area-diameter surface [mm] zone left-behind  
Circular cooking zone or area-diameter surface [in] zone left-behind  
Non-circular cooking zone or area-length [mm] zone left-behind  
Non-circular cooking zone or area-length [in] zone left-behind  
Non-circular cooking zone or area-width [mm] zone left-behind  
Non-circular cooking zone or area-width [in] zone left-behind  
Rear left area - type  
Left rear area - dimensions  
Rear left area - power (W)  
Energy consumption [Wh/Kg] zone left-behind  
Energy efficiency per gas burners [%] zone left-behind  
Rear left area - power booster [W]  
Rear left area - double power booster [W]

## Middle Side

## Left\$Centre\$Right

## Front Side

## Left\$Centre\$Right

Circular cooking zone or area-diameter surface [mm] zone left-ahead

Circular cooking zone or area-diameter surface [in] zone left-ahead

Non-circular cooking zone or area-length [mm] zone left-ahead

Non-circular cooking zone or area-length [in] zone left-ahead

Non-circular cooking zone or area-width [mm] zone left-ahead

Non-circular cooking zone or area-width [in] zone left-ahead

Left front area - type

Left front area - dimensions

Front left area - power (W)

Energy consumption [Wh/Kg] zone left-ahead

Energy efficiency per gas burners [%] zone left-ahead

Front left area - power booster [W]

Front left area - double power booster [W]

## Safety devices

Hob ignition

Locked controls

Overflow security

## Documentation

Booklet languages

## Miscellaneous

Special features hoods

## Hob with hood

Max extraction power (CFM)

Sound level maximum speed/Boost (dbA)

Sound level maximum speed (Sones)

Technical Code

P9LO..PAN4D00

Released

COOKTOPS 90 CM GAS

BERTAZZONI

Make

BUILT IN

P9LO..PAN4D00

90 CM PIANO GAS 5-BRUCIATORI

90 CM PIANO GAS 5-BRUCIATORI

90 CM 5-BURNERS GAS HOB

YES

P905LPRONE

ITALY

2

51CT4916

Legacy Information

230 V , 50 HZ

1

Mono 230 V - 6 A

2

G20/20MBAR - NATURAL GAS

G30/28-30MBAR O G31/28 - 30MBAR O G31/37MBAR - GPL

N.A.

6.5

890

522

85

850

480

STANDARD PACKING

190

990

665

17.5

20.5



FRONT

PROFESSIONAL TITANIUM 2020



KNOBS

CONTROL PANEL/WORKTOP



90 PRESSED WORKTOP

PRESSED 5 GAS BURNERS WITH LATERAL DUAL WOK (5KW)

NO

BLACK + MATT BURNER CAP + BERTAZZONI BURNER CAP

NO

NO



5

0

0



N.A.

N.A.

0.0

0.0

N.A.

N.A.

N.A.

N.A.

N.A.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

130

N.A.

0.0

0.0

GAS

130

5000

N.A.

53

[REDACTED]

WORKTOP ONE HAND

NO

NO

[REDACTED]

ENGLISH;FRENCH;GREEK;ITALIAN;SPANISH

[REDACTED]

NO

[REDACTED]

**Commercial Code**

P905LPRONE

Life Cycle

Aesthetical line

Private Label

Type of production

Factory

Predecessor Code

Short Description FR

Short Description US

Ean code

Second commercial code

Customer

Approvals

Changes notes

Increase factor

Energy efficiency index - EEIhood (%)

Energy efficiency class

Measured electric power input at best efficiency point -  $W_{bep}$  (W)Minimum air flow in normal use ( $m^3/h$ )Measured air pressure at best efficiency point -  $P_{bep}$  (Pa)Average illumination of the lighting system on the cooking surface -  $E_{middle}$  (Lux)

Lighting efficiency class

Power consumption off mode -  $P_o$  (W)

Grease filtering efficiency class

Sound power level at maximum speed available in normal use - (dB(A) re 1Pw)

Odor reduction Factor of (%)

Absorbed power [W]

(Alternative) Absorbed power [W]

Gas power [kW]

Plug type

Minimum Cable length (in)

Gas connectors

Alternative gas

IEC extraction ( $m^3/h$ )

Height PF (in)

Width PF (in)

Depth PF (in)

**Built-in hole height (in)**  
**Built-in hole width (in)**  
**Built-in hole depth (in)**

**Package height (in)**  
**Package width (in)**  
**Package depth (in)**  
**Net weight (Lb)**  
**Gross weight (Lb)**

**Type of lid**

**Cooking programming**

**Power limitation**  
**Cooking Zone**  
**Pan support type**  
**Continuous gratings**  
**Type of hood**  
**Filter type**

**No. gas burners**  
**No. of radiant areas**  
**No. dishwarmer areas**

**Power burner - minimum BTU**  
**Rapid burner - minimum BTU**  
**Medium burner - minimum BTU**  
**Simmer burner - minimum BTU**  
**Bridge left area - power (W)**

**Circular cooking zone or area-diameter surface [mm] zone center-behind**  
**Circular cooking zone or area-diameter surface [in] zone center-behind**  
**Non-circular cooking zone or area-length [mm] zone center-behind**  
**Non-circular cooking zone or area-length [in] zone center-behind**  
**Non-circular cooking zone or area-width [mm] zone center-behind**  
**Non-circular cooking zone or area-width [in] zone center-behind**  
**Rear middle area - type**  
**Middle rear area - dimensions**  
**Rear middle area - power (W)**  
**Energy consumption [Wh/Kg] zone center-behind**  
**Energy efficiency per gas burners [%] zone center-behind**  
**Rear middle area - power booster [W]**  
**Rear middle area - double power booster [W]**

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Circular cooking zone or area-diameter surface [mm] zone center-ahead

Circular cooking zone or area-diameter surface [in] zone center-ahead

Non-circular cooking zone or area-length [mm] zone center-ahead

Non-circular cooking zone or area-length [in] zone center-ahead

Non-circular cooking zone or area-width [mm] zone center-ahead

Non-circular cooking zone or area-width [in] zone center-ahead

Middle front area - type

Middle front area - dimensions

Middle front area - power (W)

Energy consumption [Wh/Kg] zone center-ahead

Energy efficiency per gas burners [%] zone center-ahead

Front middle area - power booster [W]

Front middle area - double power booster [W]

[Redacted]

Hob flame failure device

Residual heat indicators

[Redacted]

Warranty certificate

[Redacted]

[Redacted]

Suction type

Sound level minimum speed (dbA)

Sound level maximum speed/Booster (Sones)

Code

F002778

Y2 - On Management

PROFESSIONAL

BERTAZZONI

CBU

Guastalla

90 CM TABLE DE CUISSON 5-BRÂLEURS

90 CM 5-BURNERS GAS HOB

8054309283970

MAGAZZINO

CE;UKCA

1

12,5

NO

79"

CONICAL CONNECTOR;ELBOW CONNECTOR

NO

3 3/8  
33 1/2  
18 15/16

8 1/16  
37 13/16  
22 5/8

0.0



NO



NO



N.A.

GAS

CAST IRON PRO GOM

NO

NO

NO



5

0

0



70

N.A.

0.0

0.0

GAS

70

1750

N.A.

58

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

70

N.A.

0.0

0.0

GAS

70

1750

N.A.

58

[REDACTED]

WORKTOP

NO

[REDACTED]

YES

[REDACTED]

[REDACTED]



**Colour leading code**

BLACK

**Technical code of derivation**



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

No. of total electric cooking areas	0
No. halogen areas	0
No. Wok burners	

Power burner - maximum BTU

Rapid burner - maximum BTU

Medium burner - maximum BTU

Simmer burner - maximum BTU

Bridge right area - power (W)

[REDACTED]

[REDACTED]

Circular cooking zone or area-diameter surface [mm] zone right-behind	95
Circular cooking zone or area-diameter surface [in] zone right-behind	N.A.
Non-circular cooking zone or area-length [mm] zone right-behind	0.0
Non-circular cooking zone or area-length [in] zone right-behind	
Non-circular cooking zone or area-width [mm] zone right-behind	0.0
Non-circular cooking zone or area-width [in] zone right-behind	
Rear right area - type	GAS
Right rear area - dimensions	95
Right rear area - power (W)	3000
Energy consumption [Wh/Kg] zone right-behind	N.A.
Energy efficiency per gas burners [%] zone right-behind	58
Rear right area - power booster [W]	
Rear right area - double power booster [W]	

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Circular cooking zone or area-diameter surface [mm] zone right-ahead	50
Circular cooking zone or area-diameter surface [in] zone right-ahead	N.A.
Non-circular cooking zone or area-length [mm] zone right-ahead	0.0
Non-circular cooking zone or area-length [in] zone right-ahead	
Non-circular cooking zone or area-width [mm] zone right-ahead	0.0
Non-circular cooking zone or area-width [in] zone right-ahead	
Front right area - type	GAS
Right front area - dimensions	50
Front right area - power (W)	1000
Energy consumption [Wh/Kg] zone right-ahead	N.A.
Energy efficiency per gas burners [%] zone right-ahead	N.A.
Front right area - power booster [W]	
Front right area - double power booster [W]	

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Sound level minimum speed (Sones)

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]