

## Type

Cookers

## General Information

Stato

Product family

Brand

Make or Buy Flag

Type of installation

Technical code

Commercial description

Short Description IT

Short Description EN

EAN Required

Commercial code

Market

Years of warranty

20" Containerization

LeadTime

Combined Naming

Changes notes

## Energy Label

Energy Label Required

Energy class OD

Natural convention energy consumption (kWh)

Main oven net capacity l

Required cooking time for normal load (min)

Secondary oven energy class OD

Natural convention energy consumption secondary oven(kWh)

Secondary oven net capacity l

Required cooking time for normal load secondary oven(min)

Heat Source

Energy consumption in conventional mode (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode(gas final energy) [MJ/Cycle]

Energy consumption in conventional mode (gas final energy)[KWh/Cycle]

Heat source secondary oven

Energy consumption in conventional mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in conventional mode secondary oven (gas final energy)[KWh/Cycle]

Heat source third oven

Energy consumption in conventional mode third oven (electric final energy)[KWh/Cycle]

Energy consumption in conventional mode third oven (gas final energy)[MJ/Cycle]

Energy consumption in conventional mode third oven (gas final energy)[KWh/Cycle]

Convention oven consumption

Convention secondary oven consumption

Main oven grilling tray surface

Hob energy efficiency

## Energy Label Country

### Technical Data

Supply voltage [V]/Supply frequency [Hz]  
(Alternative) Supply voltage [V]/Supply frequency [Hz]  
Absorbed current [A]  
Plug type  
Minimum Cable length (m)  
Gas type  
Alternative gas  
Gas connectors  
Main oven max power [W]  
Main grill max power [W]

### Dimensions & Weights

Height PF (mm)  
Width PF (mm)  
Depth PF (mm)  
Depth with handle (mm)  
Depth with open door (mm)  
Built-in hole height (mm)  
Built-in hole width (mm)  
Built-in hole depth (mm)  
Package type  
Package height (mm)  
Package width (mm)  
Package depth (mm)  
Net weight (Kg)  
Gross weight (Kg)

### User Interface

Type of regulation  
Function indicator

### Hob characteristics

Type of hob  
Info of hob  
Special hob features  
Burner and burner cap  
Hob accessories

### Aesthetics

Fascia type  
Oven door glass colour  
Hinge  
Type of lid  
Handle type  
Gas Tank Compartment  
Legs

### Hob layout

No. of total cooking areas  
No. electric plates  
No. induction areas

No. Hood area

Bridge left area - power (W)

#### Rear Side

#### Left\$Centre\$Right

Circular cooking zone or area-diameter surface [mm] zone left-behind

Circular cooking zone or area-diameter surface [in] zone left-behind

Non-circular cooking zone or area-length [mm] zone left-behind

Non-circular cooking zone or area-length [in] zone left-behind

Non-circular cooking zone or area-width [mm] zone left-behind

Non-circular cooking zone or area-width [in] zone left-behind

Rear left area - type

Left rear area - dimensions

Rear left area - power (W)

Energy consumption [Wh/Kg] zone left-behind

Energy efficiency per gas burners [%] zone left-behind

Electricity consumption left-behind

Rear left area - power booster [W]

Rear left area - double power booster [W]

#### Front Side

#### Left\$Centre\$Right

Circular cooking zone or area-diameter surface [mm] zone left-ahead

Circular cooking zone or area-diameter surface [in] zone left-ahead

Non-circular cooking zone or area-length [mm] zone left-ahead

Non-circular cooking zone or area-length [in] zone left-ahead

Non-circular cooking zone or area-width [mm] zone left-ahead

Non-circular cooking zone or area-width [in] zone left-ahead

Left front area - type

Left front area - dimensions

Front left area - power (W)

Energy consumption [Wh/Kg] zone left-ahead

Energy efficiency per gas burners [%] zone left-ahead

Electricity consumption left-ahead

Total electricity consumption

Front left area - power booster [W]

Front left area - double power booster [W]

#### Main Oven

Oven cavity

Cooking modes 1

Cleaning

Light turning on

Type of main oven guides

Gross volume oven

Net oven volume

Oven grids

Oven grill tray

## **Secondary Oven**

Secondary oven type/Secondary grill

Cooking modes 2

Secondary oven cleaning

Secondary oven turnspit

Matériau de la cavité du four secondaire

Gross volume secondary oven

Net volume secondary oven

Grids of the secondary oven

Oven gasket 2

## **Third Oven**

Third oven type/Third Grill

Type of third oven guides

Gross volume third oven

Net volume third oven

Third oven accessories

## **Safety devices**

Hob ignition

Cooling fan

No. residual heat indicators

## **Documentation**

Booklet languages

Annual energy consumption - AEC<sub>hood</sub> (kWh/annum)

Fluid dynamic efficiency class

Power consumption off mode - P<sub>o</sub> (W)

Grease filtering efficiency - GFE<sub>hood</sub> (%)

Odor reduction Factor of (%)

Maximum air flow in normal use (Intensive / Boost excluded) (m<sup>3</sup>/h)

Average illumination of the lighting system on the cooking surface - E<sub>middle</sub> (Lux)

Max air flow (m<sup>3</sup>/h)

Output air extraction (m<sup>3</sup>/h)

Sound power level at Intensive/Boost Setting - (dB(A) re 1Pw)

Fan power [W]

Type of hood

Filter type

Special features hoods

Technical Code

AY0YJXRAXE.00

UnderReview

COOKERS 90X60 CM DOUBLE

BERTAZZONI

Make

FREE STANDING

AY0YJXRAXE.00

PRO95I2EXT - Professional FS Cookers - Induction - Inox

90 cm piano a induzione, forno elettrico doppio

90 cm induction top electric double oven

YES

PRO95I2EXT

FRANCE;GREAT BRITAIN;ITALY

2

0

0

85166010

YES

A

0.86

58

A+

0,56

33

ELECTRIC

0.86

0.0

0.86

ELECTRIC

0.56

0.0

0.56

0.0

0.0

0.0

FES.PCX

FES.PCX

1190

UE + UK

220-240V~/380-415V3N~ 50/60Hz collaudo monofase

NO

NO

1,8

ELECTRIC PRODUCT

NO

NO

2500.0

0.0

893-913

900

600

658

1030

FORK PALLET

1080

1006

720

103.5

126.5

KNOBS

CONTROL PANEL/WORKTOP

90X60 DBL O. PREMIUM INDUCTION

SQUARED 5 INDUCTION ZONES DOUBLE BRIDGE

BOOSTER;BRIDGE;CHILD LOCK;POWER LIMITATION

NO

NO

EMBOSSSED STAINLESS STEEL

O SHAPE PRO MITRED CORNERS

SOFT CLOSING

RAISER

PROFESSIONAL STAINLESS STEEL 2020

NO

STAINLESS STEEL Ø 6 CM TYPE A

5

0

5


200

0.0

210

0.0

INDUCTION

200x210

2100

175

3000


200

0.0

210

0.0

INDUCTION

200x210

1600

0

175

175

1850



90X60 DBL O. PREMIUM WELDED

BAKE;BOTTOM BAKE;CONVECTION (ELECTRIC OVENS);CONVECTION BAKE;DEFROSTING;FAST PREHEATING;GR  
NO

1

LATERALS GRIDS

71.0

51.0

2 HEAVY DUTY

1 DEEP ENAMELED + 1 GRID TRAY

STATIC ELECTRIC OVEN  
BAKE;BOTTOM BAKE;GRILL;PROOFING;UPPER BAKE  
NO  
TURNSPIT  
BLACK ENAMELED  
40.0  
28.0  
1 HEAVY DUTY  
4 SIDES

NO  
NO  
0.0  
0.0  
NO

NO  
YES  
YES

ENGLISH;FRENCH;ITALIAN

**Commercial Code**

PRO95I2EXT

**Life Cycle**

Aesthetical line

Private Label

Type of production

Factory

Predecessor Code

Short Description FR

Short Description US

Ean code

Second commercial code

Customer

Approvals

40" Containerization

MOQ of purchase

Notes

Number of cavities

Oven program used to determine energy class

Forced convention energy consumption (kWh)

Oven typology energy label

Oven program used to determine energy class of secondary oven

Forced convention energy consumption secondary oven(kWh)

Oven typology energy label secondary oven

EEI [%]Energy efficiency index

Energy consumption in fan forced mode(electric final energy) [KWh/Cycle]

Energy consumption in fan forced mode(gas final energy) [MJ/Cycle]

Energy consumption in fan forced mode (gas final energy)[KWh/Cycle]

EEI [%]energy efficiency index secondary oven

Energy consumption in fan forced mode secondary oven (electric final energy)[KWh/Cycle]

Energy consumption in fan forced mode secondary oven (gas final energy)[MJ/Cycle]

Energy consumption in fan forced mode secondary oven (gas final energy)[KWh/Cycle]

EEI [%]Energy efficiency index third oven

Energy consumption in fan forced mode third oven (electric final energy)[KWh/Cycle]

Energy consumption in fan forced mode third oven (gas final energy)[MJ/Cycle]

Energy consumption in fan forced mode third oven (gas final energy)[KWh/Cycle]

Fan-assisted oven consumption

Fan-assisted secondary oven consumption

Secondary oven grilling tray surface

Heating technology

**Absorbed power [W]**  
**(Alternative) Absorbed power [W]**  
**Gas power [kW]**

**Minimum Cable length (in)**

**Alternative gas**

**Secondary oven max power [W]**  
**Secondary grill max power [W]**

**Height PF (in)**  
**Width PF (in)**  
**Depth PF (in)**  
**Depth with handle (in)**  
**Depth with open door (in)**  
**Built-in hole height (in)**  
**Built-in hole width (in)**  
**Built-in hole depth (in)**

**Package height (in)**  
**Package width (in)**  
**Package depth (in)**  
**Net weight (Lb)**  
**Gross weight (Lb)**

**Type of regulation**  
**Cooking control functions**

**MC\_05-PowerLimitation**  
**Cooking Zone**  
**Hob material**  
**Pan support type**

**Inner door**  
**Side panel colour**  
**Knob type**  
**Dish warmer**  
**Plinth**

**No. gas burners**  
**No. of radiant areas**  
**No. dishwarmer areas**

**No. of bridge induction areas**

**Bridge right area - power (W)**

**Circular cooking zone or area-diameter surface [mm] zone center-behind**

**Circular cooking zone or area-diameter surface [in] zone center-behind**

**Non-circular cooking zone or area-length [mm] zone center-behind**

**Non-circular cooking zone or area-length [in] zone center-behind**

**Non-circular cooking zone or area-width [mm] zone center-behind**

**Non-circular cooking zone or area-width [in] zone center-behind**

**Rear middle area - type**

**Middle rear area - dimensions**

**Rear middle area - power (W)**

**Energy consumption [Wh/Kg] zone center-behind**

**Energy efficiency per gas burners [%] zone center-behind**

**Electricity consumption center-behind**

**Rear middle area - power booster [W]**

**Rear middle area - double power booster [W]**

**Circular cooking zone or area-diameter surface [mm] zone center-ahead**

**Circular cooking zone or area-diameter surface [in] zone center-ahead**

**Non-circular cooking zone or area-length [mm] zone center-ahead**

**Non-circular cooking zone or area-length [in] zone center-ahead**

**Non-circular cooking zone or area-width [mm] zone center-ahead**

**Non-circular cooking zone or area-width [in] zone center-ahead**

**Middle front area - type**

**Middle front area - dimensions**

**Middle front area - power (W)**

**Energy consumption [Wh/Kg] zone center-ahead**

**Energy efficiency per gas burners [%] zone center-ahead**

**Electricity consumption center-ahead**

**Front middle area - power booster [W]**

**Front middle area - double power booster [W]**

**Main oven type/main grill**

**Cleaning functions 1**

**Turnspit/Fans**

**Main cavity material**

**Gross volume oven [cu.ft]**

**Net volume oven [cu.ft]**

**Main oven accessories**

**Oven gasket**

## Cleaning functions 2

Secondary oven light turning on

Type of secondary oven guides

Gross volume secondary oven [cu.ft]

Net volume secondary oven [cu.ft]

Secondary oven accessories

Oven grill tray 2

## Cooking modes 3

Grids of the third oven

Gross volume third oven [cu.ft]

Net volume third oven [cu.ft]

Oven grill tray 3

Hob flame failure device

Anti-tilt

Knob deflector

Warranty certificate

Energy efficiency class

Lighting efficiency class

Power consumption in standby mode -  $P_s$  (W)

Light efficiency - LEhood (Lux/Watt)

Fluid dynamic efficiency - FDEhood (%)

Minimum air flow in normal use ( $m^3/h$ )

Energy efficiency index - EEIhood

IEC extraction ( $m^3/h$ )

Measured electric power input at best efficiency point -  $W_{bep}$  (W)

Sound power level at minimum speed available in normal use (dB(A) re 1Pw)

Measured air pressure at best efficiency point -  $P_{bep}$  (Pa)

Hood control

Hood accessories

Child lock

**Code**

F004790

Y2 - On Management

PROFESSIONAL

BERTAZZONI

CBU

Guastalla

AY0JJXUAIE.IZ

PRO95I2EXT - Professional FS Cookers - Induction - Inox

8059304882692

GENERICO

CE;UKCA

0

0

2

FEV.PCX

0.74

FES.PCX

93.7

0.74

0.0

0.74

81.6

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FEV.PCX

630

INDUCTION

11500 W ( INDUCTION 7400W)

0.0

71"

NO

1200.0

900.0

42 1/2

39 5/8

28 1/8

0.0

0.0

PRO EUROPA COOKER INTERFACE

CHECK PREHEATING;CLOCK;DELAY TO START;END OF COOKING;FOOD PROBE;MINUTE MINDER

ELECTRIC

STAINLESS STEEL

NO

SQUARED 3 GLASSES

STAINLESS STEEL

PROFESSIONAL METAL 2020

DRAWER STAINLESS STEEL

NO

0

0

0



0.0

0.0



265

0.0

0.0

INDUCTION

265

2300

175

3000



CONVECTION ELECTRIC OVEN MULTI 9/MULTI11

1 FAN

BLACK ENAMELED

1 TELESCOPIC GUIDE + 1 EXTRACTION HANDLE

4 SIDES

1  
LATERALS GRIDS

1 TELESCOPIC GUIDE  
1 DEEP ENAMELED + 1 GRID TRAY

NO

NO

NO  
YES + CHAIN

NO

NO



**Colour leading code**

STAINLESS STEEL

**Technical code of derivation**

**Approval code**

51CN4292

**40" Containerization - High cube**

0

**MOQ of selling**

0



[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

No. of total electric cooking areas

5





No. halogen areas

0

MC\_05-NbruciatoriWok

<b>Circular cooking zone or area-diameter surface [mm] zone right-behind</b>	
<b>Circular cooking zone or area-diameter surface [in] zone right-behind</b>	
<b>Non-circular cooking zone or area-length [mm] zone right-behind</b>	200
<b>Non-circular cooking zone or area-length [in] zone right-behind</b>	0.0
<b>Non-circular cooking zone or area-width [mm] zone right-behind</b>	210
<b>Non-circular cooking zone or area-width [in] zone right-behind</b>	0.0
<b>Rear right area - type</b>	INDUCTION
<b>Right rear area - dimensions</b>	200x210
<b>Right rear area - power (W)</b>	2100
<b>Energy consumption [Wh/Kg] zone right-behind</b>	
<b>Energy efficiency per gas burners [%] zone right-behind</b>	
<b>Electricity consumption right-behind</b>	175
<b>Rear right area - power booster [W]</b>	3000
<b>Rear right area - double power booster [W]</b>	

<b>Circular cooking zone or area-diameter surface [mm] zone right-ahead</b>	
<b>Circular cooking zone or area-diameter surface [in] zone right-ahead</b>	
<b>Non-circular cooking zone or area-length [mm] zone right-ahead</b>	200
<b>Non-circular cooking zone or area-length [in] zone right-ahead</b>	0.0
<b>Non-circular cooking zone or area-width [mm] zone right-ahead</b>	210
<b>Non-circular cooking zone or area-width [in] zone right-ahead</b>	0.0
<b>Front right area - type</b>	INDUCTION
<b>Right front area - dimensions</b>	200x210
<b>Front right area - power (W)</b>	1600
<b>Energy consumption [Wh/Kg] zone right-ahead</b>	
<b>Energy efficiency per gas burners [%] zone right-ahead</b>	
<b>Electricity consumption right-ahead</b>	175
<b>Front right area - power booster [W]</b>	1850
<b>Front right area - double power booster [W]</b>	

**Grease filtering efficiency class**

**Air flow at intensive/Boost setting - ( $\text{m}^3/\text{h}$ )**

**Increase factor**

**Measured air flow rate at best efficiency point -  $Q_{\text{bep}}$  ( $\text{m}^3/\text{h}$ )**

**Nominal power consumption of the lighting system -  $W_l$  (W)**

**Sound power level at maximum speed available in normal use - (dB(A) re 1Pw)**

**Sound level maximum speed (dbA)**

**Speed**

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]