

SI2M7643B



Product Family
Built-in
Dimensions
Power supply
Type
EAN code

Hob
Ultra-low profile
60 cm
Electric
Induction
8017709254964



Aesthetics



Aesthetics
Colour
Finishing
Material
Glass Type
Glass edge
Type of control setting
Slider
Slider
Control knobs position
Serigraphy colour

Universal
Black
Glass
Glass
Ceramic
Bevelled Front Edge
Multi Slider
Yes
Red
Front
Grey

Program / Functions



No. of induction cook zones
No. of cooking zones with booster
No. of Flexible zones
Main on/off switch

Power levels
Auto-Vent
Total no. of cook zones

4
4
2
Yes

14
Yes
4

Options



| | | | |
|--------------------------------------|------------|------------------------------------|-------------------------|
| Multizone Option | Yes | Residual time indicator | Yes |
| Flexible Zone Type | MultiZone | Limited Power | Yes advance |
| Standard cut out | 490x560 mm | Consumption Mode | |
| End cooking timer | 4 | Limited Power | 1500, 2000, 2500, 3000, |
| Minute minder | 4 | Consumption Mode in W | 3500, 4000, 4500, 5000, |
| End of cooking acoustic alarm | Yes | | 6000, 7200 W |
| | | Show Room Demo Option | Yes |
| | | Control Lock / Child Safety | Yes |
| | | Rapid level selection | Yes |

Technical Features



Front left - Induction - Multizone - 2.30 kW - Booster 3.20 kW - Ø 21 cm
 Rear left - Induction - multizone - 2.30 kW - Booster 3.20 kW - Ø 21 cm
 Front right - Induction - Multizone - 2.30 kW - Booster 3.20 kW - Ø 21 cm
 Rear right - Induction - multizone - 2.30 kW - Booster 3.20 kW - Ø 21 cm
 39.2x19.5 cm
 39.2x19.5 cm

| | | | |
|---|-----|---|-----|
| Automatic setting according to pan dimension | Yes | Automatic switch off when overflow | Yes |
| Automatic pan detection | Yes | Eco-Heat | Yes |
| Minimum pan diameter indication | Yes | Eco-Off | Yes |
| Automatic switch off when overheat | Yes | | |

Electrical Connection

| | | | |
|--------------------------|-----------|----------------------------------|-----------|
| Nominal power (W) | 7200 W | Type of electric cable | Universal |
| Current | 32 A | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 150 cm |
| Voltage 2 (V) | 400 V | Terminal Box | 6 poles |



Not included accessories



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



LGCN

















Connecting Strip Built-in hobs, stainless steel, 475/495 mm



TPK

Stainless steel grill plate to cook Teppanyaki dishes

Symbols glossary

| | |
|--|--|
|  <p>A smart infrared system, which allows a hood and hob with this feature to work together.</p> |  <p>Power booster: option allows the zone to work at full power when very intense cooking is necessary.</p> |
|  <p>Ultra-low profile: Installation of product with flat edge - height of 1 mm.</p> |  <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p> |
|  <p>The slider control panel allows you to adjust the power simply by passing your finger across the touch device.</p> |  <p>Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.</p> |
|  <p>Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.</p> |  <p>Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.</p> |
|  <p>Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.</p> |  <p>Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility</p> |
|  <p>Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.</p> |  <p>Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).</p> |
|  <p>Time elapsed: shows how long the cooking zone has been in use.</p> |  <p>Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.</p> |
|  <p>...</p> |  <p>Premium individual Slider control for each zone</p> |