


N 30, Induction hob, 60 cm, Black,  
T36CA50X1U



COOKING PASSION SINCE 1877



#### Optional accessories

Z9406SE0	6 pieces Set
Z943SE0	Set of 2 pots and 1 pan
Z9914X0	Connecting strip

#### Induction cooktop with TouchControl.

- ✓ Plug&Play: No electrician needed.
- ✓ Power Boost – An extra surge of heat when you need fast results.
- ✓ Induction – the heat is generated directly in the cookware for precise cooking that stops when power is off.

#### Features

##### Technical Data

Product name/family : Cooking zone ceramic  
Construction type : Built-in  
Energy input : Electric  
Total number of positions that can be used at the same time : 4  
Min. required niche size for installation (HxWxD) : 51 x 560-560 x 490-500 mm  
Width of the appliance : 592 mm  
Dimensions : 51 x 592 x 522 mm  
Dimensions of the packed product (HxWxD) : 126 x 753 x 603 mm  
Net weight : 9.1 kg  
Gross weight : 11.2 kg  
Residual heat indicator : Separate  
Location of control panel : Hob front  
Basic surface material : Ceramic  
Color of surface : Black  
EAN code : 4242004258711  
Electrical connection rating : 3700 W  
Voltage : 220-240 V  
Frequency : 50; 60 Hz



4 242004 258711

## Features

### Flexibility of cooking zones

- 60 cm: space for 4 pots or pans.
- Cooking zone front left: 145 mm, 1.4 KW
- Cooking zone rear left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear right: 145 mm, 1.4 KW
- Cooking zone front right: 180 mm, 1.8 KW

### Usage convenience

- Touch Control Basic: control the power with imprinted +/- touch buttons.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.

### Time saving & efficiency

- PowerBoost function in the front left zone  
: boil water faster thanks to 50% more energy than at the highest standard level.
- Quick-Off: quickly switch off a cooking zone with one longer touch.

### Design

- Frameless

### Safety

- Control panel lock: prevent unintended activation of the hob.
- Main switch: switch off all cooking zones at the touch of a button.
- Safety cut out facility: for safety reasons, heating stops after a preset time if not used (possible to customise).

### Installation

- Dimensions of the product (HxWxD mm): 51 x 592 x 522
- Required niche size for installation (HxWxD mm) : 51 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 3.7 KW
- Power cord 1.1 m UK 3 pin plug: plug and play, no electrician required for installation.
- This hob is equipped with a UK 3 pin plug for an easy plug & play installation. The plug limits the maximum power output to 3.7 KW. For higher power output, please select a hob without plug and ensure installation is carried out by a qualified electrician.

N 30, Induction hob, 60 cm, Black,  
T36CA50X1U

Dimensioned drawings

